

Eclectic® 9.56.30


This asymmetric wall cladding profile has a cover width of 900 mm and is characterized by its 30 mm deep random waves. Its design has been inspired by the code barre effect.


- Asymmetric geometry
 Can be associated to Eclectic 7.35.50 and Eclectic 7.61.50 (without metallic color)
 Vertical and horizontal installation (prefer vertical installation to avoid higher fouling)
 Thickness 0.63 mm or 0.75 mm
 Maximal length 7,500 mm for horizontal installation and 10,000 mm for vertical installation
 Available in a wide range of colors and sustainable, design and technical organic coatings
 Realizable in Touch Gloss, Touch 2B & Touch Top stainless steel in thickness 0.80 mm and lengths from 2 m to 6.50 m
 Several types of perforation available for a use as sun screen: contact us
 BIM object available here











Properties

Accessories

Request informations

Related products

Request informations

Technical documents

Request informations

Technical & commercial documentation

Request informations

Related projects



K stores - Merignac

France

<u>Mérignac</u>

Skynight 1522

<u>Intense</u>®



Yves du Manoir sports center - Saint-Cast-le-Guildo

Sport & Leisure

France

CHATEAUBRIANT

15B4 Sky Perla & RAL equivalent 7035

Pearl & Hairexcel®



Training Campus SNCF - Bègles

<u>Public</u>

<u>Bègles</u>

Isatis 79WG



Léopold Gardey School group - Bures-sur-Yvette

<u>Public</u>

<u>France</u>

Bures-sur-Yvette

Apple Perla & Light grey



Le Refuge Novus Box - Epagny Metz-Tessy

Industrial & Logistic

[9006] Whitealu - [9007] Greyalu and [9001] Cream

<u>Hairplus[®]</u>