

## Frequence® 5.180.43

This wall sinusoidal profile has a cover width of 900 mm. Its waves are 43 mm deep.

- Corrugated geometry
- Vertical and horizontal installation
- 3 thicknesses of steel available, from 0.75 mm to 1.00 mm
- Maximal length 14 000 mm
- Available in a wide range of colors and sustainable, design and technical organic coatings
- Realizable in Touch Gloss, Touch 2B & Touch Top stainless steel in thickness of 0.80 mm and lengths from 2 m to 6.50 m
- Several types of perforation available for a use as sun screen: [contact us](#)
- Notch curving realizable in our workshop


[Contact us](#)




•

•







## Properties

## Accessories

[Request informations](#)

## Related products

[Request informations](#)

## Technical documents

[Request informations](#)

## Technical & commercial documentation

[Request informations](#)

## Related projects



## **Leatherwork - Montereau-Fault-Yonne**

[Industrial & Logistic](#)

[France](#)

[Montereau-Fault-Yonne](#)

[Red Orange - Flamel & Ruby](#)

[Hairplus®](#)



## **Student Housing Lucien Cornil - Marseille**

[Residential](#)

[France](#)

[Marseille](#)

[Carrare](#)

[Hairultra®](#)



## **Moby Dick Nautical Pole - Bordeaux**

[Sport & Leisure](#)

[France](#)

[Bordeaux](#)

[Pure white - Jet black & Dusty](#)

[Hairplus®](#)